








ProfiSkim Premium

DE Gebrauchsanleitung
EN Operating instructions
FR Notice d'emploi
NL Gebruiksaanwijzing
ES Instrucciones de uso
PT Instruções de uso
IT Istruzioni d'uso
DA Brugsanvisning
NO Bruksanvisning
SV Bruksanvisning
FI Käyttöohje


HU Használati útmutató
PL Instrukcja użytkowania
CS Návod k použití
SK Návod na použitie
SL Navodila za uporabo
HR Uputa o upotrebi
RO Instrucțiuni de folosință
BG Упътване за употреба
UK Посібник з експлуатації
RU Руководство по эксплуатации
ZH 使用说明书



50 mm
(2 in)



PSM0001




A Gravitation	DN 100 (4 in) I =	
AquaMax ¹⁾ Gravity Eco	10000 ≤10 m (≤32.8 ft)	= 6000 ... 12500 l/h 1585 ... 3302 gal/h
15000	≤15 m (≤49.2 ft)	

¹⁾ Not available for USA/Canada

B Pumped	50 mm (2 in) I =	
AquaMax Eco Premium	7000 (2500) ≤5 m (≤16.4 ft)	
9000 (2500)	≤10 m (≤32.8 ft)	
13000 (3500)	≤15 m (≤49.2 ft)	
17000 (4500)	10 ... 20 m (32.8 ... 65.6 ft)	
21000 (5500)	15 ... 20 m (49.2 ... 65.6 ft)	
		= 6000 ... 16000 l/h (1585 ... 4227 gal/h)



1.




PSM0006



2.


A

Gravitation



B


Pumped




PSM0002




3.



4.




PSM0003



PSM0004



Pos.	ProfiSkim Premium
1	21607
2	21608
3	35657



PSM0005

OASE GmbH
Tecklenburger Straße 161
48477 Hörstel | Germany
☎ +49 (0) 5454 80-0
✉ info@oase.com
www.oase.com

OASE North America Inc.
125 Lena Drive | Aurora | Ohio 44202 | USA
✉ customerservice@atlantic-oase.com
www.atlantic-oase.com